

English Station
Summary of Soil Analytical Data
Oil Pump Room/Waste Oil AST
(AOC 7)

PERIOD: From 05/28/1998 thru 03/31/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	TB-111 TB-111 (5-7) 07/01/1998 8.00	TB-111 TB-111 (10-12) 07/01/1998 11.00	TB-207 TB-207(0-2) 03/30/2000 1.00	TB-208 TB-208(0-2) 03/30/2000 1.00
PCB's	(mg/kg)	10		NA	NA	NA	NA
Acenaphthene	(ug/kg)	2500000	84000	1000U	4848.0	<100	<100
Acenaphthylene	(ug/kg)	2500000	84000	1000U	3898.0	<100	<100
Anthracene	(ug/kg)	2500000	400000	1000U	11650.0	<100	<100
Benzo(a)anthracene	(ug/kg)	7800	1000	1000U	[12803.0]	<100	<100
Benzo(a)pyrene	(ug/kg)	1000	1000	[1000]U	[8662.0]	215.0	[2138.0]
3,4-Benzofluoranthene	(ug/kg)	7800	1000	1000U	7092.0	158.0	2437.0
Benzo(k)fluoranthene	(ug/kg)	78000	1000	1000U	4063.0	122.0	1491.0
Chrysene	(ug/kg)	780000	960	1000U	11907.0	<100	<100
Fluoranthene	(ug/kg)	2500000	56000	1000U	38611.0	<100	1250.0
Fluorene	(ug/kg)	2500000	56000	1000U	7539.0J	<100	<100
Naphthalene	(ug/kg)	2500000	56000	1000U	2203.0	<100	<100
Phenanthrene	(ug/kg)	2500000	40000	1249.0U	44611.0	<100	<100
Pyrene	(ug/kg)	2500000	40000	1000U	36244.0	<100	1179.0
TPH	(mg/kg)	2500	2500	244	1809	NA	NA
ETPH	(mg/kg)	2500	2500	NA	NA	<25	<25
Arsenic	(mg/kg)	10		NA	NA	3.9	2.8
Barium	(mg/kg)	140000		NA	NA	33	30
Chromium	(mg/kg)	100		NA	NA	7.5	6.2
Lead	(mg/kg)	1000		NA	NA	87.1	11.5
Mercury	(mg/kg)	610		NA	NA	0.06	0.06

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil Pump Room/Waste Oil AST
(AOC 7)

PERIOD: From 05/28/1998 thru 03/31/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE			TB-111	TB-111	TB-207	TB-208
	SAMPLE ID	Indust./Comm.	GB Mobility	TB-111 (5-7)	TB-111 (10-12)	TB-207(0-2)	TB-208(0-2)
	DATE	Criteria	Criteria	07/01/1998	07/01/1998	03/30/2000	03/30/2000
	DEPTH (ft)	CTDEP Jan. 1996	CTDEP Jan. 1996	6.00	11.00	1.00	1.00
Selenium	(mg/kg)	10000		NA	NA	<0.5	<0.5

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil Pump Room/Waste Oil AST
(AOC 7)

PERIOD: From 05/28/1998 thru 03/31/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust/Comm. Criteria CTDEP Jan. 1998	GB Mobility Criteria CTDEP Jan. 1998	TB-209 TB-209(2-4) 03/30/2000 3.00	TB-210 TB-210(0-2) 03/30/2000 1.00	TB-223 TB-223(3.5-3.8) 03/31/2000 3.65	TB-224 TB-224(1-1.3) 03/31/2000 1.15
PCB's	(mg/kg)	10		NA	NA	<1.0	5
Acenaphthene	(ug/kg)	2500000	84000	<100	<100	NA	NA
Acenaphthylene	(ug/kg)	2500000	84000	<100	<100	NA	NA
Anthracene	(ug/kg)	2500000	400000	<100	<100	NA	NA
Benzo(a)anthracene	(ug/kg)	7800	1000	<100	<100	NA	NA
Benzo(a)pyrene	(ug/kg)	1000	1000	[1385.0]	<100	NA	NA
3,4-Benzofluoranthene	(ug/kg)	7800	1000	1076.0	<100	NA	NA
Benzo(k)fluoranthene	(ug/kg)	78000	1000	<100	<100	NA	NA
Chrysene	(ug/kg)	780000	960	<100	<100	NA	NA
Fluoranthene	(ug/kg)	2500000	56000	<100	<100	NA	NA
Fluorene	(ug/kg)	2500000	56000	<100	<100	NA	NA
Naphthalene	(ug/kg)	2500000	56000	<100	<100	NA	NA
Phenanthrene	(ug/kg)	2500000	40000	<100	<100	NA	NA
Pyrene	(ug/kg)	2500000	40000	<100	<100	NA	NA
TPH	(mg/kg)	2500	2500	NA	NA	NA	NA
ETPH	(mg/kg)	2500	2500	291	65	<25	54
Arsenic	(mg/kg)	10		5.2	2.2	NA	NA
Barium	(mg/kg)	140000		20	32	NA	NA
Chromium	(mg/kg)	100		8.0	9.3	NA	NA
Lead	(mg/kg)	1000		28.5	31.3	NA	NA
Mercury	(mg/kg)	610		0.06	0.03	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil Pump Room/Waste Oil AST
(AOC 7)

PERIOD: From 05/28/1998 thru 03/31/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria	GB Mobility Criteria	TB-209	TB-210	TB-223	TB-224
	SAMPLE ID			TB-209(2-4)	TB-210(0-2)	TB-223(3.5-3.8)	TB-224(1-1.3)
	DATE			03/30/2000	03/30/2000	03/31/2000	03/31/2000
	DEPTH (ft)			CTDEP Jan. 1998	CTDEP Jan. 1998	3.00	1.00
Selenium	(mg/kg)	10000		<0.5	2.5	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil Pump Room/Waste Oil AST
(AOC 7)

Page: 9 of 10
Date: 05/04/2000

PERIOD: From 05/28/1998 thru 03/31/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	TB-224 TB-224(2-3) 03/31/2000 2.50	TB-225 TB-225(1.7-2.0) 03/31/2000 1.85	TB-225 TB-225(3.7-4.0) 03/31/2000 3.85
PCB's	(mg/kg)	10		7	[14]	4
Acenaphthene	(ug/kg)	2500000	84000	NA	NA	NA
Acenaphthylene	(ug/kg)	2500000	84000	NA	NA	NA
Anthracene	(ug/kg)	2500000	400000	NA	NA	NA
Benzo(a)anthracene	(ug/kg)	7800	1000	NA	NA	NA
Benzo(a)pyrene	(ug/kg)	1000	1000	NA	NA	NA
3,4-Benzofluoranthene	(ug/kg)	7800	1000	NA	NA	NA
Benzo(k)fluoranthene	(ug/kg)	78000	1000	NA	NA	NA
Chrysene	(ug/kg)	780000	960	NA	NA	NA
Fluoranthene	(ug/kg)	2500000	56000	NA	NA	NA
Fluorene	(ug/kg)	2500000	56000	NA	NA	NA
Naphthalene	(ug/kg)	2500000	56000	NA	NA	NA
Phenanthrene	(ug/kg)	2500000	40000	NA	NA	NA
Pyrene	(ug/kg)	2500000	40000	NA	NA	NA
TPH	(mg/kg)	2500	2500	NA	NA	NA
ETPH	(mg/kg)	2500	2500	428	236	1235
Arsenic	(mg/kg)	10		NA	NA	NA
Barium	(mg/kg)	140000		NA	NA	NA
Chromium	(mg/kg)	100		NA	NA	NA
Lead	(mg/kg)	1000		NA	NA	NA
Mercury	(mg/kg)	610		NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil Pump Room/Waste Oil AST
(AOC 7)

PERIOD: From 05/28/1998 thru 03/31/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE		TB-224		TB-225	
	SAMPLE ID	Indust./Comm	GB Mobility	TB-224(2-3)	TB-225(1.7-2.0)	TB-225(3.7-4.0)
	DATE	Criteria	Criteria	03/31/2000	03/31/2000	03/31/2000
	DEPTH (ft)	CTDEP Jan. 1996	CTDEP Jan. 1996	2.50	1.85	3.85
Selenium	(mg/kg)	10000		NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	MW-016 ES-MW16 (6-8) 05/29/1998 7.00	MW-017D ESMW17D 26-28 06/10/1998 27.00	MW-017S ES-MW17 (4-6) 05/29/1998 5.00	SS-001 ES SS1S 0 06/19/1998 0.00
PCB's	(mg/kg)	10		1.0U	1.0U	1.0U	1
Acenaphthene	(ug/kg)	2500000	84000	50746.0J	100U	10000U	100U
Acenaphthylene	(ug/kg)	2500000	84000	21676.0	100U	10000U	100U
Anthracene	(ug/kg)	2500000	400000	100206.0	100U	10000U	100U
Benzo(a)anthracene	(ug/kg)	7800	1000	[150051.0]	100U	[10000]U	100U
Benzo(a)pyrene	(ug/kg)	1000	1000	[121791.0]J	100UJ	[10000]U	100U
3,4-Benzofluoranthene	(ug/kg)	7800	1000	[76163.0]	100U	[10000]U	100U
Benzo(k)fluoranthene	(ug/kg)	78000	1000	[47403.0]	100U	[10000]U	100U
Chrysene	(ug/kg)	780000	960	[151896.0]	100U	[10000]U	100U
Fluoranthene	(ug/kg)	2500000	56000	[257612.0]J	100U	10000U	100U
Fluorene	(ug/kg)	2500000	56000	36119.0	100U	10000U	100U
Naphthalene	(ug/kg)	2500000	56000	10000U	100U	10000U	100U
Phenanthrene	(ug/kg)	2500000	40000	[280191.0]	100U	10000U	100U
Pyrene	(ug/kg)	2500000	40000	[308657.0]	100U	10000U	100U
TPH	(mg/kg)	2500	2500	30	270	1851J	[35520]J
ETPH	(mg/kg)	2500	2500	NA	NA	NA	NA
Arsenic	(mg/kg)	10		4.8J	8.3J	2.7J	1.0U
Barium	(mg/kg)	140000		30.4	56	24.9	23
Cadmium	(mg/kg)	1000		0.5U	3.2	0.5U	0.5U
Chromium	(mg/kg)			18.2	72.9	5.9	9.6
Lead	(mg/kg)	1000		20.8	107	22.3	27.1J

Only those parameters detected are shown.
RSR exceedences are bracketed.

[J]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

Page: 2 of 16
Date: 05/03/2000

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE			MW-016	MW-017D	MW-017S	SS-001
	SAMPLE ID	Indust/Comm.	GB Mobility	ES-MW16 (6-8)	ESMW17D 26-28	ES-MW17 (4-6)	ES SS1S 0
	DATE	Criteria	Criteria	05/29/1998	06/10/1998	05/29/1998	06/19/1998
	DEPTH (ft)	CTDEP Jan. 1996	CTDEP Jan. 1996	7.00	27.00	5.00	0.00
Mercury	(mg/kg)	610		0.19	0.56	0.25	0.30
Selenium	(mg/kg)	10000		0.5U	2.1	0.5U	0.5U
Silver	(mg/kg)	10000		0.2U	1.0	0.2U	0.2U

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust/Comm. Criteria	GB Mobility Criteria	SS-001	SS-104	SS-105	SS-106
	SAMPLE ID			ES SS1D 0.5	SS-04	SS-05	SS-06
	DATE			06/19/1998	03/31/2000	03/31/2000	03/31/2000
	DEPTH (ft)			0.50	0.15	0.15	0.15
PCB's	(mg/kg)	10		[14]	3	2	1
Acenaphthene	(ug/kg)	2500000	84000	100U	NA	NA	NA
Acenaphthylene	(ug/kg)	2500000	84000	100U	NA	NA	NA
Anthracene	(ug/kg)	2500000	400000	100U	NA	NA	NA
Benzo(a)anthracene	(ug/kg)	7800	1000	105.0	NA	NA	NA
Benzo(a)pyrene	(ug/kg)	1000	1000	100U	NA	NA	NA
3,4-Benzofluoranthene	(ug/kg)	7800	1000	100U	NA	NA	NA
Benzo(k)fluoranthene	(ug/kg)	78000	1000	100U	NA	NA	NA
Chrysene	(ug/kg)	780000	960	120.0	NA	NA	NA
Fluoranthene	(ug/kg)	2500000	56000	326.0	NA	NA	NA
Fluorene	(ug/kg)	2500000	56000	100U	NA	NA	NA
Naphthalene	(ug/kg)	2500000	56000	100U	NA	NA	NA
Phenanthrene	(ug/kg)	2500000	40000	193.0	NA	NA	NA
Pyrene	(ug/kg)	2500000	40000	250.0	NA	NA	NA
TPH	(mg/kg)	2500	2500	1008J	NA	NA	NA
ETPH	(mg/kg)	2500	2500	NA	<25	<25	<25
Arsenic	(mg/kg)	10		4.0	NA	NA	NA
Barium	(mg/kg)	140000		71	NA	NA	NA
Cadmium	(mg/kg)	1000		0.6	NA	NA	NA
Chromium	(mg/kg)			25.1	NA	NA	NA
Lead	(mg/kg)	1000		185J	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

[J]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE		GB Mobility Criteria	SS-001	SS-104	SS-105	SS-106
	SAMPLE ID	Indust/Comm		ES SS1D 0.5	SS-04	SS-05	SS-06
	DATE	Criteria		06/19/1998	03/31/2000	03/31/2000	03/31/2000
	DEPTH (ft)	CTDEP Jan. 1998		0.50	0.15	0.15	0.15
Mercury	(mg/kg)	610		0.18	NA	NA	NA
Selenium	(mg/kg)	10000		0.5U	NA	NA	NA
Silver	(mg/kg)	10000		0.2U	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust/Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	SS-107 SS-07 03/31/2000 0.15	SS-108 SS-08 03/31/2000 0.15	TB-021 ES-TB21 (0-2) 05/29/1998 1.00	TB-024 ES-TB24 (6-8) 05/29/1998 7.00
PCB's	(mg/kg)	10		<1.0	1	1.0U	1.0U
Acenaphthene	(ug/kg)	2500000	84000	NA	NA	10000U	100U
Acenaphthylene	(ug/kg)	2500000	84000	NA	NA	10000U	100U
Anthracene	(ug/kg)	2500000	400000	NA	NA	10000U	156.0
Benzo(a)anthracene	(ug/kg)	7800	1000	NA	NA	[10000]U	286.0
Benzo(a)pyrene	(ug/kg)	1000	1000	NA	NA	[10000]U	100U
3,4-Benzofluoranthene	(ug/kg)	7800	1000	NA	NA	[10000]U	100U
Benzo(k)fluoranthene	(ug/kg)	78000	1000	NA	NA	[10000]U	100U
Chrysene	(ug/kg)	780000	960	NA	NA	[10000]U	287.0
Fluoranthene	(ug/kg)	2500000	56000	NA	NA	10000U	543.0J
Fluorene	(ug/kg)	2500000	56000	NA	NA	10000U	100U
Naphthalene	(ug/kg)	2500000	56000	NA	NA	10000U	134.0
Phenanthrene	(ug/kg)	2500000	40000	NA	NA	10000U	585.0
Pyrene	(ug/kg)	2500000	40000	NA	NA	10000U	468.0
TPH	(mg/kg)	2500	2500	NA	NA	1947	87
ETPH	(mg/kg)	2500	2500	<25	<25	NA	NA
Arsenic	(mg/kg)	10		NA	NA	2.4J	1.0UJ
Barium	(mg/kg)	140000		NA	NA	34.1	11.1
Cadmium	(mg/kg)	1000		NA	NA	0.5U	0.5U
Chromium	(mg/kg)			NA	NA	10.2	0.5U
Lead	(mg/kg)	1000		NA	NA	18.2	6.1

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE			SS-107	SS-108	TB-021	TB-024
	SAMPLE ID	Indust/Comm.	GB Mobility	SS-07	SS-08	ES-TB21 (0-2)	ES-TB24 (6-8)
	DATE	Criteria	Criteria	03/31/2000	03/31/2000	05/29/1998	05/29/1998
	DEPTH (ft)	CTDEP Jan. 1998	CTDEP Jan. 1998	0.15	0.15	1.00	7.00
Mercury	(mg/kg)	610		NA	NA	0.13	0.02U
Selenium	(mg/kg)	10000		NA	NA	0.5U	0.5U
Silver	(mg/kg)	10000		NA	NA	0.2U	0.2U

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	TB-025 ES-TB25 (2-4) 05/29/1998 3.00	TB-112 TB-112 (0-2) 07/01/1998 1.00	TB-112 TB-112 (4-6) 07/01/1998 5.00	TB-112 TB-112 (12-14) 07/01/1998 13.00
PCB's	(mg/kg)	10		1.0U	NA	NA	NA
Acenaphthene	(ug/kg)	2500000	84000	10000U	NA	NA	100U
Acenaphthylene	(ug/kg)	2500000	84000	10000U	NA	NA	100U
Anthracene	(ug/kg)	2500000	400000	10000U	NA	NA	100U
Benzo(a)anthracene	(ug/kg)	7800	1000	[10000]U	NA	NA	100U
Benzo(a)pyrene	(ug/kg)	1000	1000	[10000]U	NA	NA	100U
3,4-Benzofluoranthene	(ug/kg)	7800	1000	[10000]U	NA	NA	100U
Benzo(k)fluoranthene	(ug/kg)	78000	1000	[10000]U	NA	NA	100U
Chrysene	(ug/kg)	780000	960	[10000]U	NA	NA	100U
Fluoranthene	(ug/kg)	2500000	56000	10000U	NA	NA	100U
Fluorene	(ug/kg)	2500000	56000	10000U	NA	NA	100U
Naphthalene	(ug/kg)	2500000	56000	10000U	NA	NA	100U
Phenanthrene	(ug/kg)	2500000	40000	10000U	NA	NA	193.0
Pyrene	(ug/kg)	2500000	40000	10000U	NA	NA	113.0
TPH	(mg/kg)	2500	2500	869	[5734]	124	428
ETPH	(mg/kg)	2500	2500	NA	NA	NA	NA
Arsenic	(mg/kg)	10		1.9J	NA	NA	NA
Barium	(mg/kg)	140000		28.1	NA	NA	NA
Cadmium	(mg/kg)	1000		0.5U	NA	NA	NA
Chromium	(mg/kg)			5.2	NA	NA	NA
Lead	(mg/kg)	1000		43.4	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE			TB-025	TB-112	TB-112	TB-112
	SAMPLE ID	Indust/Comm.	GB Mobility	ES-TB25 (2-4)	TB-112 (0-2)	TB-112 (4-6)	TB-112 (12-14)
	DATE	Criteria	Criteria	05/29/1998	07/01/1998	07/01/1998	07/01/1998
	DEPTH (ft)	CTDEP Jan. 1996	CTDEP Jan. 1996	3.00	1.00	5.00	13.00
Mercury	(mg/kg)	610		0.14	NA	NA	NA
Selenium	(mg/kg)	10000		0.5U	NA	NA	NA
Silver	(mg/kg)	10000		0.2U	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust/Comm Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	TB-113 TB-113 (4-6) 07/01/1998 5.00	TB-113 TB-113 (8-12) 07/01/1998 10.00	TB-114 TB-114 (4-6) 07/01/1998 5.00	TB-114 TB-114 (6-8) 07/01/1998 7.00
PCB's	(mg/kg)	10		NA	NA	NA	NA
Acenaphthene	(ug/kg)	2500000	84000	1000U	100U	100U	100U
Acenaphthylene	(ug/kg)	2500000	84000	1000U	100U	100U	100U
Anthracene	(ug/kg)	2500000	400000	1000U	100U	100U	100U
Benzo(a)anthracene	(ug/kg)	7800	1000	[1026.0]	100U	100U	100U
Benzo(a)pyrene	(ug/kg)	1000	1000	[1638.0]	100U	100U	100U
3,4-Benzofluoranthene	(ug/kg)	7800	1000	[1315.0]	100U	100U	100U
Benzo(k)fluoranthene	(ug/kg)	78000	1000	1000U	100U	100U	100U
Chrysene	(ug/kg)	780000	960	[1000U]	100U	100U	100U
Fluoranthene	(ug/kg)	2500000	56000	1706.0	100U	100U	100U
Fluorene	(ug/kg)	2500000	56000	1000U	100U	100U	100U
Naphthalene	(ug/kg)	2500000	56000	1000U	100U	100U	100U
Phenanthrene	(ug/kg)	2500000	40000	1000U	100U	100U	100U
Pyrene	(ug/kg)	2500000	40000	2412.0	100U	100U	100U
TPH	(mg/kg)	2500	2500	136	25U	25U	204
ETPH	(mg/kg)	2500	2500	NA	NA	NA	NA
Arsenic	(mg/kg)	10		NA	NA	NA	NA
Barium	(mg/kg)	140000		NA	NA	NA	NA
Cadmium	(mg/kg)	1000		NA	NA	NA	NA
Chromium	(mg/kg)			NA	NA	NA	NA
Lead	(mg/kg)	1000		NA	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE			TB-113	TB-113	TB-114	TB-114
	SAMPLE ID	Indust/Comm	GB Mobility	TB-113 (4-6)	TB-113 (8-12)	TB-114 (4-6)	TB-114 (6-8)
	DATE	Criteria	Criteria	07/01/1998	07/01/1998	07/01/1998	07/01/1998
	DEPTH (ft)	CTDEP Jan. 1996	CTDEP Jan. 1998	5.00	10.00	5.00	7.00
Mercury	(mg/kg)	610		NA	NA	NA	NA
Selenium	(mg/kg)	10000		NA	NA	NA	NA
Silver	(mg/kg)	10000		NA	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	TB-114 TB-114 (10-12) 07/01/1998 11.00	TB-211 TB-211(0-2) 03/30/2000 1.00	TB-212 TB-212(2-4) 03/30/2000 3.00	TB-219 TB-219(3-3.3) 03/31/2000 3.15
PCB's	(mg/kg)	10		NA	NA	NA	<1.0
Acenaphthene	(ug/kg)	2500000	84000	100U	<100	<100	NA
Acenaphthylene	(ug/kg)	2500000	84000	100U	<100	<100	NA
Anthracene	(ug/kg)	2500000	400000	100U	<100	<100	NA
Benzo(a)anthracene	(ug/kg)	7800	1000	100U	<100	<100	NA
Benzo(a)pyrene	(ug/kg)	1000	1000	100U	<100	<100	NA
3,4-Benzofluoranthene	(ug/kg)	7800	1000	100U	<100	<100	NA
Benzo(k)fluoranthene	(ug/kg)	78000	1000	100U	<100	<100	NA
Chrysene	(ug/kg)	780000	960	100U	<100	<100	NA
Fluoranthene	(ug/kg)	2500000	56000	100U	<100	<100	NA
Fluorene	(ug/kg)	2500000	56000	100U	<100	<100	NA
Naphthalene	(ug/kg)	2500000	56000	100U	<100	<100	NA
Phenanthrene	(ug/kg)	2500000	40000	100U	<100	<100	NA
Pyrene	(ug/kg)	2500000	40000	100U	<100	<100	NA
TPH	(mg/kg)	2500	2500	25U	NA	NA	NA
ETPH	(mg/kg)	2500	2500	NA	<25	53	41
Arsenic	(mg/kg)	10		NA	3.0	6.3	NA
Barium	(mg/kg)	140000		NA	31	31	NA
Cadmium	(mg/kg)	1000		NA	<0.5	<0.5	NA
Chromium	(mg/kg)			NA	6.8	7.5	NA
Lead	(mg/kg)	1000		NA	55.9	26.6	NA

NA=Not analyzed

Only those parameters detected are shown.
RSR exceedences are bracketed.

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

Page: 12 of 16
Date: 05/03/2000

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria	GB Mobility Criteria	TB-114	TB-211	TB-212	TB-219
	SAMPLE ID			TB-114 (10-12)	TB-211(0-2)	TB-212(2-4)	TB-219(3-3.3)
	DATE			07/01/1998	03/30/2000	03/30/2000	03/31/2000
	DEPTH (ft)			CTDEP Jan. 1998	CTDEP Jan. 1998	CTDEP Jan. 1998	CTDEP Jan. 1998
Mercury	(mg/kg)	610		NA	0.20	0.25	NA
Selenium	(mg/kg)	10000		NA	<0.5	1.4	NA
Silver	(mg/kg)	10000		NA	<0.2	<0.2	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust/Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	TB-219 TB-219(7-7.3) 03/31/2000 7.15	TB-220 TB-220(1.5-1.8) 03/31/2000 1.65	TB-220 TB-220(3.5-3.8) 03/31/2000 3.65	TB-220 TB-220(5-5.3) 03/31/2000 5.15
PCB's	(mg/kg)	10		<1.0	<1.0	<1.0	<1.0
Acenaphthene	(ug/kg)	2500000	84000	NA	NA	NA	NA
Acenaphthylene	(ug/kg)	2500000	84000	NA	NA	NA	NA
Anthracene	(ug/kg)	2500000	400000	NA	NA	NA	NA
Benzo(a)anthracene	(ug/kg)	7800	1000	NA	NA	NA	NA
Benzo(a)pyrene	(ug/kg)	1000	1000	NA	NA	NA	NA
3,4-Benzofluoranthene	(ug/kg)	7800	1000	NA	NA	NA	NA
Benzo(k)fluoranthene	(ug/kg)	78000	1000	NA	NA	NA	NA
Chrysene	(ug/kg)	780000	960	NA	NA	NA	NA
Fluoranthene	(ug/kg)	2500000	56000	NA	NA	NA	NA
Fluorene	(ug/kg)	2500000	56000	NA	NA	NA	NA
Naphthalene	(ug/kg)	2500000	56000	NA	NA	NA	NA
Phenanthrene	(ug/kg)	2500000	40000	NA	NA	NA	NA
Pyrene	(ug/kg)	2500000	40000	NA	NA	NA	NA
TPH	(mg/kg)	2500	2500	NA	NA	NA	NA
ETPH	(mg/kg)	2500	2500	46	1050	60	1115
Arsenic	(mg/kg)	10		NA	NA	NA	NA
Barium	(mg/kg)	140000		NA	NA	NA	NA
Cadmium	(mg/kg)	1000		NA	NA	NA	NA
Chromium	(mg/kg)			NA	NA	NA	NA
Lead	(mg/kg)	1000		NA	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive
SAMPLE TYPE: Soil

SAMPLE TYPE:		Soil						
CONSTITUENT	SITE			TB-219	TB-220	TB-220	TB-220	
	SAMPLE ID	Indust./Comm.	GB Mobility	TB-219(7-7.3)	TB-220(1.5-1.8)	TB-220(3.5-3.8)	TB-220(5-5.3)	
	DATE	Criteria	Criteria	03/31/2000	03/31/2000	03/31/2000	03/31/2000	
	DEPTH (ft)	CTDEP Jan. 1996	CTDEP Jan. 1996	7.15	1.65	3.65	5.15	
Mercury	(mg/kg)	610		NA	NA	NA	NA	
Selenium	(mg/kg)	10000		NA	NA	NA	NA	
Silver	(mg/kg)	10000		NA	NA	NA	NA	

NA=Not analyzed

Only those parameters detected are shown.
RSR exceedences are bracketed.

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	TB-221 TB-221(5-5.3) 03/31/2000 5.15	TB-222 TB-222(1.7-2.0) 03/31/2000 1.85	TB-222 TB-222(5.9-6.2) 03/31/2000 6.05
PCB's	(mg/kg)	10		<1.0	<1.0	<1.0
Acenaphthene	(ug/kg)	2500000	84000	NA	NA	NA
Acenaphthylene	(ug/kg)	2500000	84000	NA	NA	NA
Anthracene	(ug/kg)	2500000	400000	NA	NA	NA
Benzo(a)anthracene	(ug/kg)	7800	1000	NA	NA	NA
Benzo(a)pyrene	(ug/kg)	1000	1000	NA	NA	NA
3,4-Benzofluoranthene	(ug/kg)	7800	1000	NA	NA	NA
Benzo(k)fluoranthene	(ug/kg)	78000	1000	NA	NA	NA
Chrysene	(ug/kg)	780000	960	NA	NA	NA
Fluoranthene	(ug/kg)	2500000	56000	NA	NA	NA
Fluorene	(ug/kg)	2500000	56000	NA	NA	NA
Naphthalene	(ug/kg)	2500000	56000	NA	NA	NA
Phenanthrene	(ug/kg)	2500000	40000	NA	NA	NA
Pyrene	(ug/kg)	2500000	40000	NA	NA	NA
TPH	(mg/kg)	2500	2500	NA	NA	NA
ETPH	(mg/kg)	2500	2500	128	244	29
Arsenic	(mg/kg)	10		NA	NA	NA
Barium	(mg/kg)	140000		NA	NA	NA
Cadmium	(mg/kg)	1000		NA	NA	NA
Chromium	(mg/kg)			NA	NA	NA
Lead	(mg/kg)	1000		NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE			TB-221	TB-222	TB-222
	SAMPLE ID	Indust/Comm	GB Mobility	TB-221(5-5.3)	TB-222(1.7-2.0)	TB-222(5.9-6.2)
	DATE	Criteria	Criteria	03/31/2000	03/31/2000	03/31/2000
	DEPTH (ft)	CTDEP Jan. 1996	CTDEP Jan. 1996	5.15	1.85	6.05
Mercury	(mg/kg)	610		NA	NA	NA
Selenium	(mg/kg)	10000		NA	NA	NA
Silver	(mg/kg)	10000		NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE		SS-001		TB-021		TB-024		TB-025	
	SAMPLE ID	Indus/Comm.	GB Mobility	ES SS1D 0.5	ES-TB21 (0-2)	ES-TB24 (6-8)	ES-TB25 (2-4)	ES-TB25 (2-4)	ES-TB25 (2-4)	ES-TB25 (2-4)
	DATE	Criteria	Criteria	06/19/1998	05/29/1998	05/29/1998	05/29/1998	05/29/1998	05/29/1998	05/29/1998
	DEPTH (ft)	CTDEP Jan. 1998	CTDEP Jan. 1998	0.50	1.00	7.00	3.00	3.00	3.00	3.00
Lead (SPLP)	(mg/l)		0.15	0.058J	0.005U	0.005U	0.007	0.007	0.007	0.007
Selenium (SPLP)	(mg/l)		0.5	0.005U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Oil ASTs
(AOC 8)

PERIOD: From 05/29/1998 thru 03/31/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria	GB Mobility Criteria	TB-211	TB-212
	SAMPLE ID			TB-211(0-2)	TB-212(2-4)
	DATE			03/30/2000	03/30/2000
	DEPTH (ft)			1.00	3.00
Lead (SPLP)	(mg/l)	CTDEP Jan. 1996	CTDEP Jan. 1996	0.15	<0.005
Selenium (SPLP)	(mg/l)			<0.005	<0.005
				0.5	<0.01
				<0.01	<0.01
Only those parameters detected are shown. RSR exceedences are bracketed.				NA=Not analyzed	

English Station
Summary of Soil Analytical Data
Capacitors/Transformers
(AOC 9)

PERIOD: From 06/11/1998 thru 03/30/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust/Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	CS-008	HA-01	HA-02	PCB-01
	SAMPLE ID			ES C56 0	HA-01	HA-02	ES PCB1 (1)
	DATE			06/19/1998	03/30/2000	03/30/2000	06/11/1998
	DEPTH (ft)			0.00	1.65	0.95	1.00
PCB's	(mg/kg)	10		1.0U	[29]	<1.0	[440]
TPH	(mg/kg)	2500	2500	NA	NA	NA	NA
Arsenic	(mg/kg)	10		NA	NA	[230]	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

[] = Greater than Action Level NA = Not analyzed

English Station
Summary of Soil Analytical Data
Capacitors/Transformers
(AOC 9)

PERIOD: From 06/11/1998 thru 03/30/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE			PCB-02	PCB-03	PCB-04	PCB-05
	SAMPLE ID	Indust./Comm.	GB Mobility	ES PCB2 (1.5)	ES PCB3 (0.2)	ES PCB4 (0.2)	ES PCB5 (0.5)
	DATE	Criteria	Criteria	06/11/1998	06/11/1998	06/11/1998	06/11/1998
	DEPTH (ft)	CTDEP Jan. 1996	CTDEP Jan. 1996	1.50	0.20	0.20	0.50
PCB's	(mg/kg)	10		[2300]	1.0U	1.0U	1.0U
TPH	(mg/kg)	2500	2500	58	[9203]	[11235]	165
Arsenic	(mg/kg)	10		NA	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Capacitors/Transformers
(AOC 9)

PERIOD: From 06/11/1998 thru 03/30/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE		GB Mobility		PCB-06	PCB-07	PCB-08	PCB-09
	SAMPLE ID	Indust./Comm.	Criteria		ES PCB6 (0.2)	ES PCB7 (0.5)	ES PCB8 (0.8)	ES PCB9 (0.8)
	DATE	Criteria	Criteria		06/11/1998	06/11/1998	06/11/1998	06/11/1998
	DEPTH (ft)	CTDEP Jan. 1996	CTDEP Jan. 1998		0.20	0.50	0.80	0.80
PCB's	(mg/kg)	10			4	1.0U	1.0U	1
TPH	(mg/kg)	2500	2500		[9091]	600	33	32
Arsenic	(mg/kg)	10			NA	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

[] = Greater than Action Level NA = Not analyzed

English Station
Summary of Soil Analytical Data
Capacitors/Transformers
(AOC 9)

PERIOD: From 06/11/1998 thru 03/30/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria	GB Mobility Criteria	PCB-10	PCB-11	PCB-12	PCB-13
	SAMPLE ID			ES PCB10 (0.5)	ES PCB11 (1)	ES PCB12 (1)	ES PCB13 (0.5)
	DATE			06/11/1998	06/11/1998	06/11/1998	06/11/1998
	DEPTH (ft)			0.50	1.00	1.00	0.50
PCB's	(mg/kg)	10		1.0U	1.0U	1.0U	1.0U
TPH	(mg/kg)	2500	2500	25U	25U	25U	27
Arsenic	(mg/kg)	10		NA	NA	NA	NA

NA=Not analyzed

Only those parameters detected are shown.
RSR exceedences are bracketed.

English Station
Summary of Soil Analytical Data
Capacitors/Transformers
(AOC 9)

PERIOD: From 06/11/1998 thru 03/30/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria	GB Mobility Criteria	PCB-14	PCB-15	PCB-18	PCB-17
	SAMPLE ID			ES PCB14 (1)	ES PCB15 (0.5)	ES PCB16 (1)	ES PCB17 (0.5)
	DATE			06/11/1998	06/11/1998	06/11/1998	06/11/1998
	DEPTH (ft)			CTDEP Jan. 1996	CTDEP Jan. 1996	CTDEP Jan. 1996	CTDEP Jan. 1996
PCB's	(mg/kg)	10		1.0U	1.0U	1.0U	2
TPH	(mg/kg)	2500	2500	118	25U	25U	25U
Arsenic	(mg/kg)	10		NA	NA	NA	NA

NA=Not analyzed

Only those parameters detected are shown.
RSR exceedences are bracketed.

English Station
Summary of Soil Analytical Data
Capacitors/Transformers
(AOC 9)

PERIOD: From 06/11/1998 thru 03/30/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria	GB Mobility Criteria	PCB-18	PCB-18	PCB-19	PCB-19
	SAMPLE ID			ES PCB18 (1)	ES PCB18A (2)	ES PCB19 (0.5)	ES PCB19A (2.5)
	DATE			06/11/1998	06/11/1998	06/11/1998	06/11/1998
	DEPTH (ft)			CTDEP Jan. 1996	CTDEP Jan. 1996	CTDEP Jan. 1996	CTDEP Jan. 1996
PCB's	(mg/kg)	10		1.0U	1.0U	1.0U	1.0U
TPH	(mg/kg)	2500	2500	25U	25U	28	25
Arsenic	(mg/kg)	10		NA	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Capacitors/Transformers
(AOC 9)

PERIOD: From 06/11/1998 thru 03/30/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria	GB Mobility Criteria	PCB-20	PCB-21	PCB-31	PCB-32
	SAMPLE ID			ES PCB20 0.7	ESPCB21 0.5	PCB-31	PCB-32
	DATE			06/18/1998	06/18/1998	07/07/1998	07/07/1998
	DEPTH (ft)			CTDEP Jan. 1996	CTDEP Jan. 1996	0.70	0.50
PCB's	(mg/kg)	10		1.0U	1.0U	[94]	[53]
TPH	(mg/kg)	2500	2500	25UJ	25UJ	382	120
Arsenic	(mg/kg)	10		NA	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Capacitors/Transformers
(AOC 9)

PERIOD: From 06/11/1998 thru 03/30/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria	GB Mobility Criteria	PCB-33	PCB-34	PCB-35	SS-101
	SAMPLE ID			PCB-33	PCB-34	PCB-35	SS-01
	DATE			07/07/1998	07/07/1998	07/07/1998	03/30/2000
	DEPTH (ft)			0.00	0.00	0.00	0.15
PCB's	(mg/kg)	10		1.0U	1.0U	1.0U	<1.0
TPH	(mg/kg)	2500	2500	25U	25U	41	NA
Arsenic	(mg/kg)	10		NA	NA	NA	[150]

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Capacitors/Transformers
(AOC 9)

PERIOD: From 06/11/1998 thru 03/30/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria	GB Mobility Criteria	SS-102	SS-103	TB-115	TB-116
	SAMPLE ID			SS-02	SS-03	TB-115 (5-7)	TB-116 (5-7)
	DATE			03/30/2000	03/30/2000	07/01/1998	07/01/1998
	DEPTH (ft)			0.15	0.15	6.00	6.00
PCB's	(mg/kg)	10		[23]	<1.0	1.0U	1.0U
TPH	(mg/kg)	2500	2500	NA	NA	25U	NA
Arsenic	(mg/kg)	10		5.4	[116]	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Capacitors/Transformers
(AOC 9)

Page: 10 of 10
Date: 05/03/2000

PERIOD: From 06/11/1998 thru 03/30/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust/Comm. Criteria	GB Mobility Criteria	TB-214	TB-215
	SAMPLE ID			TB-214(3-3.3)	TB-215(2-2.2)
	DATE			03/30/2000	03/30/2000
	DEPTH (ft)			3.15	2.10
PCB's	(mg/kg)	10		2	4
TPH	(mg/kg)	2500	2500	NA	NA
Arsenic	(mg/kg)	10		NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Former Interior Chemical Storage Areas
(AOC 10)

PERIOD: From 05/27/1998 thru 07/01/1998 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria	GB Mobility Criteria	MW-013	MW-014D	MW-014S	MW-020
	SAMPLE ID			ES-MW13 (13-15)	ES MW14D(26-28)	ES-MW14 (1-3)	ES-MW20 (11-13)
	DATE			06/01/1998	06/11/1998	06/01/1998	05/27/1998
	DEPTH (ft)			14.00	27.00	2.00	12.00
Acenaphthene	(ug/kg)	2500000	84000	100U	218.0	100U	100U
Acenaphthylene	(ug/kg)	2500000	84000	100U	128.0	100U	100U
Anthracene	(ug/kg)	2500000	400000	100U	562.0	100U	100U
Benzo(a)anthracene	(ug/kg)	7800	1000	100U	1023.0	260.0	100U
Benzo(a)pyrene	(ug/kg)	1000	1000	100U	581.0	312.0	100U
3,4-Benzofluoranthene	(ug/kg)	7800	1000	100U	550.0	100U	100U
Benzo(g,h,i)perylene	(ug/kg)	2500000	42000	500U	1081.0	500U	500U
Benzo(k)fluoranthene	(ug/kg)	78000	1000	100U	550.0	100U	100U
Chrysene	(ug/kg)	780000	960	100U	721.0	297.0	100U
Fluoranthene	(ug/kg)	2500000	56000	115.0	1417.0	573.0	100U
Fluorene	(ug/kg)	2500000	56000	100U	239.0	100U	100U
Naphthalene	(ug/kg)	2500000	56000	100U	178.0	100U	100U
Phenanthrene	(ug/kg)	2500000	40000	100U	1200.0	295.0	100U
Pyrene	(ug/kg)	2500000	40000	121.0	2205.0	534.0	100U
TPH	(mg/kg)	2500	2500	45	588	140	29J
Arsenic	(mg/kg)	10		1.0U	[10.5]	6.7	4.3
Barium	(mg/kg)	140000		43	42	79	38
Cadmium	(mg/kg)	1000		0.5U	0.5U	0.5U	0.5U
Chromium	(mg/kg)			15.7	23.9J	14.2	10.2
Lead	(mg/kg)	1000		76.0	70.0	80.0	11.0
Mercury	(mg/kg)	610		1.41	0.83	0.15	0.02U

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Former Interior Chemical Storage Areas
(AOC 10)

PERIOD: From 05/27/1998 thru 07/01/1998 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE		Indust./Comm. Criteria	GB Mobility Criteria	MW-013	MW-014D	MW-014S	MW-020
	SAMPLE ID				ES-MW13 (13-15)	ES MW14D(26-28)	ES-MW14 (1-3)	ES-MW20 (11-13)
	DATE				06/01/1998	06/11/1998	06/01/1998	05/27/1998
	DEPTH (ft)				14.00	27.00	2.00	12.00
Selenium	(mg/kg)	10000			0.7	1.4	0.5U	0.5U
Silver	(mg/kg)	10000			0.2U	0.4	0.2U	0.2U

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Former Interior Chemical Storage Areas
(AOC 10)

PERIOD: From 05/27/1998 thru 07/01/1998 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	TB-018A ES-TB18A(16-18) 05/28/1998 17.00	TB-108 TB-108 (8-10) 07/01/1998 9.00	TB-108 TB-108 (12-14) 07/01/1998 13.00
Acenaphthene	(ug/kg)	2500000	84000	10000U	10000U	1000U
Acenaphthylene	(ug/kg)	2500000	84000	10000U	10000U	1000U
Anthracene	(ug/kg)	2500000	400000	10000U	10000U	1000U
Benzo(a)anthracene	(ug/kg)	7800	1000	[10000]U	[10000]U	1000U
Benzo(a)pyrene	(ug/kg)	1000	1000	[10000]U	[10000]U	[1000]U
3,4-Benzofluoranthene	(ug/kg)	7800	1000	[10000]U	[10000]U	1000U
Benzo(g,h,i)perylene	(ug/kg)	2500000	42000	[50000]U	[50000]U	5000U
Benzo(k)fluoranthene	(ug/kg)	78000	1000	[10000]U	[10000]U	1000U
Chrysene	(ug/kg)	780000	960	[10000]U	[10000]U	[1000]U
Fluoranthene	(ug/kg)	2500000	56000	59574.0J	10000U	1691.0
Fluorene	(ug/kg)	2500000	56000	10000U	10000U	1000U
Naphthalene	(ug/kg)	2500000	56000	10000U	10000U	1000U
Phenanthrene	(ug/kg)	2500000	40000	38833.0	10000U	1483.0
Pyrene	(ug/kg)	2500000	40000	61277.0	10000U	1658.0
TPH	(mg/kg)	2500	2500	1492	[4162]	1542
Arsenic	(mg/kg)	10		[10.7]J	NA	NA
Barium	(mg/kg)	140000		10.2	NA	NA
Cadmium	(mg/kg)	1000		5.0	NA	NA
Chromium	(mg/kg)			90.4	NA	NA
Lead	(mg/kg)	1000		350	NA	NA
Mercury	(mg/kg)	610		3.46	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Former Interior Chemical Storage Areas
(AOC 10)

PERIOD: From 05/27/1998 thru 07/01/1998 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE			TB-018A	TB-108	TB-108
	SAMPLE ID	Indust/Comm	GB Mobility	ES-TB18A(16-18)	TB-108 (8-10)	TB-108 (12-14)
	DATE	Criteria	Criteria	05/28/1998	07/01/1998	07/01/1998
	DEPTH (ft)	CTDEP Jan. 1996	CTDEP Jan. 1996	17.00	9.00	13.00
Selenium	(mg/kg)	10000		0.5U	NA	NA
Silver	(mg/kg)	10000		4.6	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Coal Storage Area
(AOC 12)

PERIOD: From 05/26/1998 thru 04/03/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	MW-004D ESMW4D 36-40 06/10/1998 38.00	MW-004S ES-MW45 (11-13) 05/27/1998 12.00	MW-005 ES-MW5 (2-4) 05/26/1998 3.00	MW-006 ESMW6 5-9 06/09/1998 7.00
Acenaphthene	(ug/kg)	2500000	84000	100U	100U	100U	100U
Acenaphthylene	(ug/kg)	2500000	84000	100U	100U	100U	122.0
Anthracene	(ug/kg)	2500000	400000	100U	100U	100U	100U
Benzo(a)anthracene	(ug/kg)	7800	1000	100U	100U	100U	633.0
Benzo(a)pyrene	(ug/kg)	1000	1000	100UJ	100U	100U	572.0
3,4-Benzofluoranthene	(ug/kg)	7800	1000	100U	100U	100U	432.0
Benzo(k)fluoranthene	(ug/kg)	78000	1000	100U	100U	100U	222.0
Chrysene	(ug/kg)	780000	960	100U	100U	100U	100U
Fluoranthene	(ug/kg)	2500000	56000	100U	100U	100U	662.0
Phenanthrene	(ug/kg)	2500000	40000	100U	100U	100U	464.0
Pyrene	(ug/kg)	2500000	40000	100U	100U	100U	919.0
TPH	(mg/kg)	2500	2500	25U	25U	1384J	974
Arsenic	(mg/kg)	10		1.0UJ	[39.4]	[47.2]	[68.6]
Barium	(mg/kg)	140000		24	30	50	32
Cadmium	(mg/kg)	1000		0.5U	0.5U	0.5U	24.3
Chromium	(mg/kg)			4.9	18.1	9.4	30.8
Lead	(mg/kg)	1000		2.3	43.7	33.1	470
Mercury	(mg/kg)	610		0.02U	0.10	0.06	0.59
Selenium	(mg/kg)	10000		0.6	0.5U	1.0	4.2

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Coal Storage Area
(AOC 12)

PERIOD: From 05/26/1998 thru 04/03/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria	GB Mobility Criteria	MW-007	MW-009A	MW-010	MW-022
	SAMPLE ID			ES-MW7 (7-9)	ES-MW9A(0-2)	ESMW10 9-11	ESMW22 7-9
	DATE			06/04/1998	05/26/1998	06/09/1998	06/09/1998
	DEPTH (ft)			CTDEP Jan. 1998	CTDEP Jan. 1998	CTDEP Jan. 1998	CTDEP Jan. 1998
Acenaphthene	(ug/kg)	2500000	84000	100U	100U	181.0	100U
Acenaphthylene	(ug/kg)	2500000	84000	100U	100U	384.0	100U
Anthracene	(ug/kg)	2500000	400000	100U	100U	664.0	100U
Benzo(a)anthracene	(ug/kg)	7800	1000	100U	100U	[1089.0]	100U
Benzo(a)pyrene	(ug/kg)	1000	1000	100U	100U	830.0	113.0
3,4-Benzofluoranthene	(ug/kg)	7800	1000	100U	100U	954.0	100U
Benzo(k)fluoranthene	(ug/kg)	78000	1000	100U	100U	161.0	100U
Chrysene	(ug/kg)	780000	960	100U	100U	[1536.0]	100U
Fluoranthene	(ug/kg)	2500000	56000	100U	135.0	2774.0	132.0
Phenanthrene	(ug/kg)	2500000	40000	100U	100U	448.0	100U
Pyrene	(ug/kg)	2500000	40000	100U	120.0	3333.0	142.0
TPH	(mg/kg)	2500	2500	25U	25U	30	25U
Arsenic	(mg/kg)	10		[14.7]	[18.3]	3.6	[23.0]
Barium	(mg/kg)	140000		35	54	57	24
Cadmium	(mg/kg)	1000		0.5U	0.5U	0.5U	0.9
Chromium	(mg/kg)			12.0	9.8	9.3	27.1
Lead	(mg/kg)	1000		49.4	62.9	97.1	13.0
Mercury	(mg/kg)	610		0.22	0.25	2.86	0.16
Selenium	(mg/kg)	10000		5.2	1.1	1.5	3.5

Only those parameters detected are shown.
RSR exceedances are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Coal Storage Area
(AOC 12)

PERIOD: From 05/26/1998 thru 04/03/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	SED-01	TB-005	TB-008A	TB-008B
	SAMPLE ID			ES SED1 (1)	ES-TB5 (4-6)	ES-TB8A (1-3)	ES-TB8B (15-17)
	DATE			06/12/1998	06/04/1998	06/04/1998	06/04/1998
	DEPTH (ft)			1.00	5.00	2.00	16.00
Acenaphthene	(ug/kg)	2500000	84000	10000U	100U	100U	100U
Acenaphthylene	(ug/kg)	2500000	84000	10000U	100U	100U	100U
Anthracene	(ug/kg)	2500000	400000	10000U	100U	100U	100U
Benzo(a)anthracene	(ug/kg)	7800	1000	[10000]U	100U	100U	100U
Benzo(a)pyrene	(ug/kg)	1000	1000	[10000]U	100U	100U	100U
3,4-Benzofluoranthene	(ug/kg)	7800	1000	[10000]U	100U	100U	100U
Benzo(k)fluoranthene	(ug/kg)	78000	1000	[10000]U	100U	100U	100U
Chrysene	(ug/kg)	780000	960	[10000]U	100U	100U	100U
Fluoranthene	(ug/kg)	2500000	56000	10000U	100U	100U	100U
Phenanthrene	(ug/kg)	2500000	40000	10000U	100U	100U	100U
Pyrene	(ug/kg)	2500000	40000	10000U	100U	100U	100U
TPH	(mg/kg)	2500	2500	35	97	25U	25U
Arsenic	(mg/kg)	10		[16.3]	4.9	[23.1]	6.6
Barium	(mg/kg)	140000		31	53.0	100	28.0
Cadmium	(mg/kg)	1000		0.5U	0.5U	0.5U	0.5U
Chromium	(mg/kg)			92.1J	8.5	3.7	18.4
Lead	(mg/kg)	1000		429	165	807	18.4
Mercury	(mg/kg)	610		1.67	1.20	0.38	0.02
Selenium	(mg/kg)	10000		0.5U	0.5U	3.4	0.5U

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Coal Storage Area
(AOC 12)

PERIOD: From 05/26/1998 thru 04/03/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust/Comm Criteria	GB Mobility Criteria	TB-009	TB-010	TB-104	TB-104
	SAMPLE ID			ES-TB9 (3-7)	ES-TB10(11-13)	TB-104 (2-4)	TB-104 (4-6)
	DATE			06/04/1998	06/04/1998	06/30/1998	06/30/1998
	DEPTH (ft)			5.00	12.00	3.00	5.00
Acenaphthene	(ug/kg)	2500000	84000	100U	100U	NA	NA
Acenaphthylene	(ug/kg)	2500000	84000	100U	100U	NA	NA
Anthracene	(ug/kg)	2500000	400000	100U	100U	NA	NA
Benzo(a)anthracene	(ug/kg)	7800	1000	100U	100U	NA	NA
Benzo(a)pyrene	(ug/kg)	1000	1000	100U	100U	NA	NA
3,4-Benzofluoranthene	(ug/kg)	7800	1000	100U	100U	NA	NA
Benzo(k)fluoranthene	(ug/kg)	78000	1000	100U	100U	NA	NA
Chrysene	(ug/kg)	780000	960	100U	100U	NA	NA
Fluoranthene	(ug/kg)	2500000	56000	100U	100U	NA	NA
Phenanthrene	(ug/kg)	2500000	40000	100U	100U	NA	NA
Pyrene	(ug/kg)	2500000	40000	100U	100U	NA	NA
TPH	(mg/kg)	2500	2500	57	25U	598	45
Arsenic	(mg/kg)	10		[93.0]	[13.8]	[10.1]	7.2
Barium	(mg/kg)	140000		50.0	102	NA	NA
Cadmium	(mg/kg)	1000		3.7	4.0	NA	NA
Chromium	(mg/kg)			8.6	21.0	NA	NA
Lead	(mg/kg)	1000		318	475	8.2	11.3
Mercury	(mg/kg)	610		0.94	2.03	NA	NA
Selenium	(mg/kg)	10000		0.5U	0.5U	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Coal Storage Area
(AOC 12)

PERIOD: From 05/26/1998 thru 04/03/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust/Comm. Criteria CTDEP Jan. 1998	GB Mobility Criteria CTDEP Jan. 1998	TB-104 TB-104 (6-8) 06/30/1998 7.00	TB-106 TB-106 (3-5) 06/30/1998 4.00	TB-108 TB-108 (8-10) 06/30/1998 9.00	TB-108 TB-108 (10-12) 06/30/1998 11.00
Acenaphthene	(ug/kg)	2500000	84000	NA	NA	NA	NA
Acenaphthylene	(ug/kg)	2500000	84000	NA	NA	NA	NA
Anthracene	(ug/kg)	2500000	400000	NA	NA	NA	NA
Benzo(a)anthracene	(ug/kg)	7800	1000	NA	NA	NA	NA
Benzo(a)pyrene	(ug/kg)	1000	1000	NA	NA	NA	NA
3,4-Benzofluoranthene	(ug/kg)	7800	1000	NA	NA	NA	NA
Benzo(k)fluoranthene	(ug/kg)	78000	1000	NA	NA	NA	NA
Chrysene	(ug/kg)	780000	960	NA	NA	NA	NA
Fluoranthene	(ug/kg)	2500000	56000	NA	NA	NA	NA
Phenanthrene	(ug/kg)	2500000	40000	NA	NA	NA	NA
Pyrene	(ug/kg)	2500000	40000	NA	NA	NA	NA
TPH	(mg/kg)	2500	2500	25U	NA	2118	2498
Arsenic	(mg/kg)	10		NA	3.3	NA	NA
Barium	(mg/kg)	140000		NA	NA	NA	NA
Cadmium	(mg/kg)	1000		NA	NA	NA	NA
Chromium	(mg/kg)			NA	NA	NA	NA
Lead	(mg/kg)	1000		NA	19.5	NA	NA
Mercury	(mg/kg)	610		NA	NA	NA	NA
Selenium	(mg/kg)	10000		NA	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Coal Storage Area
(AOC 12)

PERIOD: From 05/26/1998 thru 04/03/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1998	GB Mobility Criteria CTDEP Jan. 1998	TB-107 TB-107 (2-4) 07/01/1998 3.00	TB-107 TB-107 (6-8) 07/01/1998 7.00	TB-230 TB-230(2-4) 04/03/2000 3.00	TB-231 TB-231(0-2) 04/03/2000 1.00
Acenaphthene	(ug/kg)	2500000	84000	NA	NA	NA	NA
Acenaphthylene	(ug/kg)	2500000	84000	NA	NA	NA	NA
Anthracene	(ug/kg)	2500000	400000	NA	NA	NA	NA
Benzo(a)anthracene	(ug/kg)	7800	1000	NA	NA	NA	NA
Benzo(a)pyrene	(ug/kg)	1000	1000	NA	NA	NA	NA
3,4-Benzofluoranthene	(ug/kg)	7800	1000	NA	NA	NA	NA
Benzo(k)fluoranthene	(ug/kg)	78000	1000	NA	NA	NA	NA
Chrysene	(ug/kg)	780000	960	NA	NA	NA	NA
Fluoranthene	(ug/kg)	2500000	56000	NA	NA	NA	NA
Phenanthrene	(ug/kg)	2500000	40000	NA	NA	NA	NA
Pyrene	(ug/kg)	2500000	40000	NA	NA	NA	NA
TPH	(mg/kg)	2500	2500	380	129	NA	NA
Arsenic	(mg/kg)	10		[34.4]	[11.8]	5.0	[11.5]
Barium	(mg/kg)	140000		NA	NA	NA	NA
Cadmium	(mg/kg)	1000		NA	NA	NA	NA
Chromium	(mg/kg)			NA	NA	NA	NA
Lead	(mg/kg)	1000		80.5	78.3	NA	NA
Mercury	(mg/kg)	610		NA	NA	NA	NA
Selenium	(mg/kg)	10000		NA	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Coal Storage Area
(AOC 12)

PERIOD: From 05/26/1998 thru 04/03/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	TB-232 TB-232(2-4) 04/03/2000 3.00	TB-233 TB-233(2-4) 04/03/2000 3.00	TB-234 TB-234(0-2) 04/03/2000 1.00	TB-235 TB-235(2-4) 04/03/2000 3.00
Acenaphthene	(ug/kg)	2500000	84000	NA	NA	NA	NA
Acenaphthylene	(ug/kg)	2500000	84000	NA	NA	NA	NA
Anthracene	(ug/kg)	2500000	400000	NA	NA	NA	NA
Benzo(a)anthracene	(ug/kg)	7800	1000	NA	NA	NA	NA
Benzo(a)pyrene	(ug/kg)	1000	1000	NA	NA	NA	NA
3,4-Benzofluoranthene	(ug/kg)	7800	1000	NA	NA	NA	NA
Benzo(k)fluoranthene	(ug/kg)	78000	1000	NA	NA	NA	NA
Chrysene	(ug/kg)	780000	960	NA	NA	NA	NA
Fluoranthene	(ug/kg)	2500000	56000	NA	NA	NA	NA
Phenanthrene	(ug/kg)	2500000	40000	NA	NA	NA	NA
Pyrene	(ug/kg)	2500000	40000	NA	NA	NA	NA
TPH	(mg/kg)	2500	2500	NA	NA	NA	NA
Arsenic	(mg/kg)	10		[11.5]	[32.3]	[12.4]	[22.8]
Barium	(mg/kg)	140000		NA	NA	NA	NA
Cadmium	(mg/kg)	1000		NA	NA	NA	NA
Chromium	(mg/kg)			NA	NA	NA	NA
Lead	(mg/kg)	1000		NA	NA	NA	NA
Mercury	(mg/kg)	610		NA	NA	NA	NA
Selenium	(mg/kg)	10000		NA	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Coal Storage Area
(AOC 12)

PERIOD: From 05/26/1998 thru 04/03/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID	Indust./Comm. Criteria	GB Mobility Criteria	TB-236 TB-236(0-2)	TB-237 TB-237(0-2)	TB-239 TB-239(0-2)	TB-240 TB-240(2-4)
	DATE			04/03/2000	04/03/2000	04/03/2000	04/03/2000
	DEPTH (ft)	CTDEP Jan. 1996	CTDEP Jan. 1996	1.00	1.00	1.00	3.00
Acenaphthene	(ug/kg)	2500000	84000	NA	NA	NA	NA
Acenaphthylene	(ug/kg)	2500000	84000	NA	NA	NA	NA
Anthracene	(ug/kg)	2500000	400000	NA	NA	NA	NA
Benzo(a)anthracene	(ug/kg)	7800	1000	NA	NA	NA	NA
Benzo(a)pyrene	(ug/kg)	1000	1000	NA	NA	NA	NA
3,4-Benzofluoranthene	(ug/kg)	7800	1000	NA	NA	NA	NA
Benzo(k)fluoranthene	(ug/kg)	78000	1000	NA	NA	NA	NA
Chrysene	(ug/kg)	780000	960	NA	NA	NA	NA
Fluoranthene	(ug/kg)	2500000	56000	NA	NA	NA	NA
Phenanthrene	(ug/kg)	2500000	40000	NA	NA	NA	NA
Pyrene	(ug/kg)	2500000	40000	NA	NA	NA	NA
TPH	(mg/kg)	2500	2500	NA	NA	NA	NA
Arsenic	(mg/kg)	10		3.6	7.9	4.3	3.0
Barium	(mg/kg)	140000		NA	NA	NA	NA
Cadmium	(mg/kg)	1000		NA	NA	NA	NA
Chromium	(mg/kg)			NA	NA	NA	NA
Lead	(mg/kg)	1000		NA	NA	NA	NA
Mercury	(mg/kg)	610		NA	NA	NA	NA
Selenium	(mg/kg)	10000		NA	NA	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Coal Storage Area
(AOC 12)

PERIOD: From 05/26/1998 thru 04/03/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE		GB Mobility Criteria CTDEP Jan. 1996	TB-241	TB-242
	SAMPLE ID	Indust./Comm.		TB-241(1-3)	TB-242(1-3)
	DATE	Criteria		04/03/2000	04/03/2000
	DEPTH (ft)	CTDEP Jan. 1996		2.00	2.00
Acenaphthene	(ug/kg)	2500000	84000	NA	NA
Acenaphthylene	(ug/kg)	2500000	84000	NA	NA
Anthracene	(ug/kg)	2500000	400000	NA	NA
Benzo(a)anthracene	(ug/kg)	7800	1000	NA	NA
Benzo(a)pyrene	(ug/kg)	1000	1000	NA	NA
3,4-Benzofluoranthene	(ug/kg)	7800	1000	NA	NA
Benzo(k)fluoranthene	(ug/kg)	78000	1000	NA	NA
Chrysene	(ug/kg)	780000	960	NA	NA
Fluoranthene	(ug/kg)	2500000	56000	NA	NA
Phenanthrene	(ug/kg)	2500000	40000	NA	NA
Pyrene	(ug/kg)	2500000	40000	NA	NA
TPH	(mg/kg)	2500	2500	NA	NA
Arsenic	(mg/kg)	10		7.3	5.5
Barium	(mg/kg)	140000		NA	NA
Cadmium	(mg/kg)	1000		NA	NA
Chromium	(mg/kg)			NA	NA
Lead	(mg/kg)	1000		NA	NA
Mercury	(mg/kg)	610		NA	NA
Selenium	(mg/kg)	10000		NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Coal Storage Area
(AOC 12)

PERIOD: From 05/26/1998 thru 04/03/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria	GB Mobility Criteria	MW-004D	MW-004S	MW-005	MW-006
	SAMPLE ID			ESMW4D 36-40	ES-MW45 (11-13)	ES-MW5 (2-4)	ESMW6 5-9
	DATE			06/10/1998	05/27/1998	05/26/1998	06/09/1998
	DEPTH (ft)			38.00	12.00	3.00	7.00
Arsenic (SPLP)	(mg/l)	CTDEP Jan. 1996	0.5	0.05U	0.05U	0.05U	0.05
Cadmium (SPLP)	(mg/l)		0.05	0.005U	0.005U	0.005U	0.005U
Lead (SPLP)	(mg/l)		0.15	0.005U	0.005U	0.005U	0.005U

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Coal Storage Area
(AOC 12)

PERIOD: From 05/26/1998 thru 04/03/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust/Comm. Criteria	GB Mobility Criteria	MW-007	MW-009A	MW-010	MW-022
	SAMPLE ID			ES-MW7 (7-9)	ES-MW9A(0-2)	ESMW10 9-11	ESMW22 7-9
	DATE			06/04/1998	05/26/1998	06/09/1998	06/09/1998
	DEPTH (ft)			CTDEP Jan. 1996	CTDEP Jan. 1996	CTDEP Jan. 1996	CTDEP Jan. 1996
Arsenic (SPLP)	(mg/l)		0.5	0.05U	0.05U	0.05U	0.05U
Cadmium (SPLP)	(mg/l)		0.05	0.005U	0.005U	0.005U	[0.052]
Lead (SPLP)	(mg/l)		0.15	0.005U	0.014	0.005U	0.008

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Coal Storage Area
(AOC 12)

PERIOD: From 05/26/1998 thru 04/03/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust/Comm Criteria	GB Mobility Criteria	SED-01	TB-005	TB-008A	TB-008B
	SAMPLE ID			ES SED1 (1)	ES-TB5 (4-6)	ES-TB8A (1-3)	ES-TB8B (15-17)
	DATE			06/12/1998	06/04/1998	06/04/1998	06/04/1998
	DEPTH (ft)			1.00	5.00	2.00	16.00
Arsenic (SPLP)	(mg/l)	CTDEP Jan. 1996	0.5	0.05U	0.05U	0.05U	0.05U
Cadmium (SPLP)	(mg/l)		0.05	0.005U	0.005U	0.005U	0.005U
Lead (SPLP)	(mg/l)		0.15	0.023	0.005U	0.021	0.005U

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Coal Storage Area
(AOC 12)

PERIOD: From 05/26/1998 thru 04/03/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE		GB Mobility Criteria	TB-009	TB-010
	SAMPLE ID	Indust./Comm.		ES-TB9 (3-7)	ES-TB10(11-13)
	DATE	Criteria		06/04/1998	06/04/1998
	DEPTH (ft)	CTDEP Jan. 1998		5.00	12.00
Arsenic (SPLP)	(mg/l)		0.5	0.05U	0.05U
Cadmium (SPLP)	(mg/l)		0.05	0.005U	0.007
Lead (SPLP)	(mg/l)		0.15	0.005U	0.005U

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Wastewater Treatment System/Station East
(AOC 13)

PERIOD: From 05/27/1998 thru 03/30/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1998	GB Mobility Criteria CTDEP Jan. 1998	MW-018 ES-MW18 (14-16) 05/29/1998 15.00	MW-020 ES-MW20 (11-13) 05/27/1998 12.00	SED-02 ES SED2 (0.5) 06/12/1998 0.50	TB-018 ES-TB18 (12-14) 05/28/1998 13.00
PCB's	(mg/kg)	10		1.0U	1.0U	1	1.0U
Acenaphthene	(ug/kg)	2500000	84000	1000U	100U	10000U	100U
Acenaphthylene	(ug/kg)	2500000	84000	1000U	100U	10000U	145.0
Anthracene	(ug/kg)	2500000	400000	1000U	100U	10000U	100U
Benzo(a)anthracene	(ug/kg)	7800	1000	1000U	100U	[10000]U	182.0
Benzo(a)pyrene	(ug/kg)	1000	1000	1000U	100U	[10000]U	268.0J
3,4-Benzofluoranthene	(ug/kg)	7800	1000	1000U	100U	[10000]U	203.0
Benzo(k)fluoranthene	(ug/kg)	78000	1000	1000U	100U	[10000]U	100U
Chrysene	(ug/kg)	780000	960	[1000U]	100U	[10000]U	226.0
Fluoranthene	(ug/kg)	2500000	56000	1000U	100U	10000U	369.0J
Fluorene	(ug/kg)	2500000	56000	1000U	100U	10000U	100U
Indeno(1,2,3-cd)pyrene	(ug/kg)	7800	1000	[5000]U	500U	[50000]U	500U
Naphthalene	(ug/kg)	2500000	56000	1000U	100U	10000U	65797.0
Phenanthrene	(ug/kg)	2500000	40000	1000U	100U	10000U	203.0
Pyrene	(ug/kg)	2500000	40000	1000U	100U	10000U	529.0
TPH	(mg/kg)	2500	2500	238	29J	191	405
ETPH	(mg/kg)	2500	2500	NA	NA	NA	NA
Arsenic	(mg/kg)	10		2.8J	4.3	5.3	4.5J
Barium	(mg/kg)	140000		18.3	38	62	51.3
Cadmium	(mg/kg)	1000		0.9	0.5U	0.5U	0.5U
Chromium	(mg/kg)	100		14.9	10.2	32.0J	9.2

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Wastewater Treatment System/Station East
(AOC 13)

PERIOD: From 05/27/1998 thru 03/30/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	MW-018 ES-MW18 (14-16) 05/29/1998 15.00	MW-020 ES-MW20 (11-13) 05/27/1998 12.00	SED-02 ES SED2 (0.5) 06/12/1998 0.50	TB-018 ES-TB18 (12-14) 05/28/1998 13.00
Lead	(mg/kg)	1000		36.3	11.0	110	[2160]
Mercury	(mg/kg)	610		0.24	0.02U	1.66	0.07
Selenium	(mg/kg)	10000		0.5U	0.5U	1.5	0.5U
Silver	(mg/kg)	10000		0.2U	0.2U	0.2U	0.2U

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Wastewater Treatment System/Station East
(AOC 13)

PERIOD: From 05/27/1998 thru 03/30/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust/Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	TB-018A ES-TB18A(16-18) 05/28/1998 17.00	TB-108 TB-108 (8-10) 07/01/1998 9.00	TB-108 TB-108 (12-14) 07/01/1998 13.00	TB-200 TB-200(0-2) 03/30/2000 1.00
PCB's	(mg/kg)	10		1.0U	NA	NA	NA
Acenaphthene	(ug/kg)	2500000	84000	10000U	10000U	1000U	<100
Acenaphthylene	(ug/kg)	2500000	84000	10000U	10000U	1000U	<100
Anthracene	(ug/kg)	2500000	400000	10000U	10000U	1000U	<100
Benzo(a)anthracene	(ug/kg)	7800	1000	[10000]U	[10000]U	1000U	<100
Benzo(a)pyrene	(ug/kg)	1000	1000	[10000]U	[10000]U	[1000]U	170.0
3,4-Benzofluoranthene	(ug/kg)	7800	1000	[10000]U	[10000]U	1000U	114.0
Benzo(k)fluoranthene	(ug/kg)	78000	1000	[1000]U	[1000]U	1000U	<100
Chrysene	(ug/kg)	780000	960	[1000]U	[1000]U	1000U	<100
Fluoranthene	(ug/kg)	2500000	56000	[59574.0]U	10000U	1691.0	<100
Fluorene	(ug/kg)	2500000	56000	10000U	10000U	1000U	<100
Indeno(1,2,3-cd)pyrene	(ug/kg)	7800	1000	[50000]U	[50000]U	[500]U	<500
Naphthalene	(ug/kg)	2500000	56000	10000U	10000U	1000U	<100
Phenanthrene	(ug/kg)	2500000	40000	38833.0	10000U	1483.0	<100
Pyrene	(ug/kg)	2500000	40000	61277.0	10000U	1658.0	<100
TPH	(mg/kg)	2500	2500	1492	[4162]	1542	NA
ETPH	(mg/kg)	2500	2500	NA	NA	NA	28
Arsenic	(mg/kg)	10		[10.7]J	NA	NA	2.9
Barium	(mg/kg)	140000		10.2	NA	NA	41
Cadmium	(mg/kg)	1000		5.0	NA	NA	<0.5
Chromium	(mg/kg)	100		90.4	NA	NA	8.0

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Wastewater Treatment System/Station East
(AOC 13)

PERIOD: From 05/27/1998 thru 03/30/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	TB-018A ES-TB18A(16-18) 05/28/1998 17.00	TB-108 TB-108 (8-10) 07/01/1998 9.00	TB-108 TB-108 (12-14) 07/01/1998 13.00	TB-200 TB-200(0-2) 03/30/2000 1.00
Lead	(mg/kg)	1000		350	NA	NA	19.3
Mercury	(mg/kg)	610		3.46	NA	NA	0.06
Selenium	(mg/kg)	10000		0.5U	NA	NA	<0.5
Silver	(mg/kg)	10000		4.6	NA	NA	<0.2

NA=Not analyzed

Only those parameters detected are shown.
RSR exceedences are bracketed.

English Station
Summary of Soil Analytical Data
Wastewater Treatment System/Station East
(AOC 13)

PERIOD: From 05/27/1998 thru 03/30/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1998	GB Mobility Criteria CTDEP Jan. 1998	TB-201 TB-201(0-2) 03/30/2000 1.00	TB-202 TB-202(2-4) 03/30/2000 3.00	TB-203 TB-203(0-2) 03/30/2000 1.00	TB-204 TB-204(2-4) 03/30/2000 3.00
PCB's	(mg/kg)	10		NA	NA	NA	NA
Acenaphthene	(ug/kg)	2500000	84000	<100	3292.0	<100	<100
Acenaphthylene	(ug/kg)	2500000	84000	<100	1636.0	3531.0	<100
Anthracene	(ug/kg)	2500000	400000	<100	15425.0	6603.0	<100
Benzo(a)anthracene	(ug/kg)	7800	1000	<100	[28441.0]	[30950.0]	<100
Benzo(a)pyrene	(ug/kg)	1000	1000	<100	[43270.0]	[28585.0]	[3269.0]
3,4-Benzofluoranthene	(ug/kg)	7800	1000	<100	[26508.0]	[24427.0]	<100
Benzo(k)fluoranthene	(ug/kg)	78000	1000	<100	[32681.0]	[18714.0]	<100
Chrysene	(ug/kg)	780000	960	<100	[26794.0]	[27318.0]	<100
Fluoranthene	(ug/kg)	2500000	56000	<100	[64475.0]	51323.0	<100
Fluorene	(ug/kg)	2500000	56000	<100	7249.0	<100	<100
Indeno(1,2,3-cd)pyrene	(ug/kg)	7800	1000	<500	[8147.0]	[6040.0]	<500
Naphthalene	(ug/kg)	2500000	56000	<100	<100	<100	<100
Phenanthrene	(ug/kg)	2500000	40000	<100	[72000.0]	26000.0	<100
Pyrene	(ug/kg)	2500000	40000	<100	[44532.0]	[48043.0]	<100
TPH	(mg/kg)	2500	2500	NA	NA	NA	NA
ETPH	(mg/kg)	2500	2500	94	57	32	1377
Arsenic	(mg/kg)	10		1.9	4.2	3.7	3.0
Barium	(mg/kg)	140000		47	48	34	23
Cadmium	(mg/kg)	1000		<0.5	<0.5	<0.5	<0.5
Chromium	(mg/kg)	100		7.6	10.2	11.7	8.8

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Wastewater Treatment System/Station East
(AOC 13)

PERIOD: From 05/27/1998 thru 03/30/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria CTDEP Jan. 1998	GB Mobility Criteria CTDEP Jan. 1998	TB-201	TB-202	TB-203	TB-204
	SAMPLE ID			TB-201(0-2)	TB-202(2-4)	TB-203(0-2)	TB-204(2-4)
	DATE			03/30/2000	03/30/2000	03/30/2000	03/30/2000
	DEPTH (ft)			1.00	3.00	1.00	3.00
Lead	(mg/kg)	1000		33.5	157	44.3	44.7
Mercury	(mg/kg)	610		0.03	0.28	0.07	0.14
Selenium	(mg/kg)	10000		<0.5	1.8	<0.5	0.9
Silver	(mg/kg)	10000		<0.2	<0.2	<0.2	<0.2

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Wastewater Treatment System/Station East
(AOC 13)

PERIOD: From 05/27/1998 thru 03/30/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indus/Comm. Criteria CTDEP Jan. 1996	GB Mobility Criteria CTDEP Jan. 1996	TB-205 TB-205(2-4) 03/30/2000 3.00	TB-206 TB-206(2-4) 03/30/2000 3.00
PCB's	(mg/kg)	10		NA	NA
Acenaphthene	(ug/kg)	2500000	84000	<100	<100
Acenaphthylene	(ug/kg)	2500000	84000	1311.0	<100
Anthracene	(ug/kg)	2500000	400000	1034.0	<100
Benzo(a)anthracene	(ug/kg)	7800	1000	[10590.0]	[1318.0]
Benzo(a)pyrene	(ug/kg)	1000	1000	[14827.0]	[3433.0]
3,4-Benzofluoranthene	(ug/kg)	7800	1000	[15828.0]	[2767.0]
Benzo(k)fluoranthene	(ug/kg)	78000	1000	[12757.0]	[1754.0]
Chrysene	(ug/kg)	780000	960	[9540.0]	[1390.0]
Fluoranthene	(ug/kg)	2500000	56000	10237.0	1498.0
Fluorene	(ug/kg)	2500000	56000	<100	<100
Indeno(1,2,3-cd)pyrene	(ug/kg)	7800	1000	[7496.0]	<500
Naphthalene	(ug/kg)	2500000	56000	<100	<100
Phenanthrene	(ug/kg)	2500000	40000	3635.0	<100
Pyrene	(ug/kg)	2500000	40000	12721.0	1625.0
TPH	(mg/kg)	2500	2500	NA	NA
ETPH	(mg/kg)	2500	2500	189	115
Arsenic	(mg/kg)	10		6.1	9.3
Barium	(mg/kg)	140000		37	55
Cadmium	(mg/kg)	1000		<0.5	<0.5
Chromium	(mg/kg)	100		8.8	10.8

Only those parameters detected are shown.
RSR exceedences are bracketed.

[]=Greater than Action Level NA=Not analyzed

English Station
Summary of Soil Analytical Data
Wastewater Treatment System/Station East
(AOC 13)

PERIOD: From 05/27/1998 thru 03/30/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE SAMPLE ID DATE DEPTH (ft)	Indust./Comm. Criteria CTDEP Jan. 1998	GB Mobility Criteria CTDEP Jan. 1998	TB-205 TB-205(2-4) 03/30/2000 3.00	TB-206 TB-206(2-4) 03/30/2000 3.00
Lead	(mg/kg)	1000		134	276
Mercury	(mg/kg)	610		0.21	0.46
Selenium	(mg/kg)	10000		3.2	1.2
Silver	(mg/kg)	10000		<0.2	<0.2

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Wastewater Treatment System/Station East
(AOC 13)

PERIOD: From 05/27/1998 thru 03/30/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust/Comm Criteria CTDEP Jan. 1998	GB Mobility Criteria CTDEP Jan. 1998	TB-018A	TB-200	TB-201	TB-202
	SAMPLE ID			ES-TB18A(16-18)	TB-200(0-2)	TB-201(0-2)	TB-202(2-4)
	DATE			05/28/1998	03/30/2000	03/30/2000	03/30/2000
	DEPTH (ft)			17.00	1.00	1.00	3.00
Lead (SPLP)	(mg/l)		0.15	0.005U	<0.005	<0.005	<0.005

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Wastewater Treatment System/Station East
(AOC 13)

PERIOD: From 05/27/1998 thru 03/30/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE		TB-203		TB-204		TB-205		TB-206	
	SAMPLE ID	Indust./Comm.	GB Mobility	TB-203(0-2)	TB-204(2-4)	TB-205(2-4)	TB-206(2-4)			
	DATE	Criteria	Criteria	03/30/2000	03/30/2000	03/30/2000	03/30/2000			
	DEPTH (ft)	CTDEP Jan. 1996	CTDEP Jan. 1996	1.00	3.00	3.00	3.00			
Lead (SPLP)	(mg/l)		0.15	<0.005	0.007	0.012	0.031			

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Southwest of Plant

PERIOD: From 03/30/2000 thru 03/30/2000 - Inclusive
SAMPLE TYPE: Soil

CONSTITUENT	SITE			TB-213	TB-215
	SAMPLE ID	Indust./Comm.	GB Mobility	TB-213(2-4)	TB-215(0-2)
	DATE	Criteria	Criteria	03/30/2000	03/30/2000
	DEPTH (ft)	CTDEP Jan. 1998	CTDEP Jan. 1998	3.00	1.00
ETPH	(mg/kg)	2500	2500	29	130
Arsenic	(mg/kg)	10		2.9	4.4
Barium	(mg/kg)	140000		32	41
Chromium	(mg/kg)	.		7.4	22.0
Lead	(mg/kg)	1000		14.0	24.2
Mercury	(mg/kg)	610		0.03	0.09
Selenium	(mg/kg)	10000		0.9	1.1

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
PCB Remediation Area

Date: 05/03/2000

PERIOD: From 12/12/1997 thru 12/15/1999 - Inclusive

SAMPLE TYPE: Soil

SITE	DATE	DEPTH	SAMPLE ID	PCB's (mg/kg)
Indust./Comm. Criteria CTDEP Jan. 1996				10
GB Mobility Criteria CTDEP Jan. 1996				
BOR1	12/15/1999	6.00		1.2
BOR1	12/15/1999	11.00		1U
BOR1	12/15/1999	16.00		1U
BOR1	12/15/1999	21.00		1U
BOR1	12/15/1999	26.00		1U
BOR1	12/15/1999	31.00		1U
BOR2	12/15/1999	6.00		1U
BOR2	12/15/1999	11.00		1U
BOR2	12/15/1999	16.00		1U
BOR2	12/15/1999	21.00		1U
BOR2	12/15/1999	26.00		1U
BOR2	12/15/1999	31.00		1U
BOR3	12/15/1999	11.00		1U
BOR3	12/15/1999	16.00		1U
BOR3	12/15/1999	21.00		1U
BOR3	12/15/1999	26.00		1U
BOR3	12/15/1999	31.00		1U
BOR4	12/15/1999	6.00		1U
BOR4	12/15/1999	11.00		1U
BOR4	12/15/1999	16.00		1U
BOR4	12/15/1999	21.00		1U
BOR4	12/15/1999	26.00		1U
BOR4	12/15/1999	31.00		1U
BOR5	12/15/1999	6.00		1U
BOR5	12/15/1999	11.00		1U
BOR5	12/15/1999	16.00		1U
BOR5	12/15/1999	21.00		1U
BOR5	12/15/1999	26.00		1U
BOR5	12/15/1999	31.00		1U
GP-01	12/12/1997	12.00		1U
GP-02	12/12/1997	12.00		1U
GP-03	12/12/1997	4.00		1U
GP-04	12/12/1997	12.00		5.0
GP-05	12/12/1997	12.00		3.0
GP-07	12/12/1997	8.00		1U
GP-09	12/19/1997	1.00		1U

Only those parameters detected are shown.
RSR exceedances are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
PCB Remediation Area

Date: 05/03/2000

PERIOD: From 12/12/1997 thru 12/15/1999 - Inclusive

SAMPLE TYPE: Soil

SITE	DATE	DEPTH	SAMPLE ID	PCB's (mg/kg)
Indust./Comm. Criteria CTDEP Jan. 1996				10
GB Mobility Criteria CTDEP Jan. 1996				
GP-09	12/19/1997	2.00		1U
GP-09	12/19/1997	3.00		1U
GP-09	12/19/1997	4.00		1U
GP-09	12/19/1997	5.00		1U
GP-09	12/19/1997	6.00		1U
GP-09	12/19/1997	7.00		1U
GP-09	12/19/1997	8.00		1U
GP-09	12/19/1997	9.00		1U
GP-09	12/19/1997	10.00		1U
GP-09	12/19/1997	11.00		1U
GP-09	12/19/1997	12.00		1U
GP-09	12/19/1997	13.00		1U
GP-09	12/19/1997	14.00		1U
GP-09	12/19/1997	15.00		1U
GP-09	12/19/1997	20.00		1U
GP-10	12/19/1997	1.00		1U
GP-10	12/19/1997	2.00		1U
GP-10	12/19/1997	3.00		1U
GP-10	12/19/1997	4.00		1U
GP-10	12/19/1997	5.00		1U
GP-10	12/19/1997	6.00		1U
GP-10	12/19/1997	7.00		1U
GP-10	12/19/1997	8.00		1U
GP-10	12/19/1997	9.00		1U
GP-10	12/19/1997	10.00		1U
GP-10	12/19/1997	11.00		1U
GP-10	12/19/1997	12.00		1U
GP-11	12/19/1997	1.00		1U
GP-11	12/19/1997	2.00		1U
GP-11	12/19/1997	3.00		1U
GP-11	12/19/1997	4.00		1U
GP-11	12/19/1997	5.00		1U
GP-11	12/19/1997	6.00		1U
GP-11	12/19/1997	7.00		1U
GP-11	12/19/1997	8.00		1U
GP-11	12/19/1997	9.00		1U

Only those parameters detected are shown.
RSR exceedances are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
PCB Remediation Area

Page: 001
Date: 05/03/2000

PERIOD: From 12/12/1997 thru 12/15/1999 - Inclusive

SAMPLE TYPE: Soil

SITE	DATE	DEPTH	SAMPLE ID	PCB's (mg/kg)
Indust./Comm. Criteria CTDEP Jan. 1996				10
GB Mobility Criteria CTDEP Jan. 1996				
GP-11	12/19/1997	10.00		1U
GP-15	12/19/1997	4.00		1U
GP-15	12/19/1997	8.00		2.7
GP-15	12/19/1997	12.00		1U
GP-15	12/19/1997	16.00		1U
GP-15	12/19/1997	20.00		1U
GP-15	12/19/1997	25.00		1.4
GP-15	12/19/1997	28.00		1U
GP-15	12/19/1997	32.00		1U
GP-15	12/19/1997	36.00		1U
GP-16	12/29/1997	4.00		1.7
GP-16	12/29/1997	8.00		3.8
GP-16	12/29/1997	12.00		1U
GP-16	12/29/1997	16.00		1U
GP-16	12/29/1997	20.00		1U
GP-17	12/29/1997	4.00		7.3
GP-17	12/29/1997	8.00		[24.5]
GP-17	12/29/1997	12.00		1U
GP-17	12/29/1997	13.00		1U
GP-18	12/15/1999	1.50		1.7
GP-18	12/15/1999	2.50		1U
GP-18	12/15/1999	3.50		4.1
GP-18	12/15/1999	4.50		[16.7]
GP-18	12/15/1999	5.50		6.4
GP-18	12/15/1999	6.50		1U
GP-18	12/15/1999	7.50		1.9
GP-19	12/15/1999	3.50		1U
GP-19	12/15/1999	7.50		3.4
GP-19	12/15/1999	11.50		1U
GP-19	12/15/1999	12.50		1U
GP-20	12/15/1999	3.50		1U
GP-20	12/15/1999	7.50		5.0
GP-20	12/15/1999	11.50		1U
GP-20A	04/22/1999	1.00		1U
GP-20A	04/22/1999	3.00		1U
GP-20A	04/22/1999	5.00		1U

Only those parameters detected are shown.
RSR exceedences are bracketed.

[] = Greater than Action Level NA = Not analyzed

English Station
Summary of Soil Analytical Data
PCB Remediation Area

Date: 05/03/2000

PERIOD: From 12/12/1997 thru 12/15/1999 - Inclusive

SAMPLE TYPE: Soil

SITE	DATE	DEPTH	SAMPLE ID	PCB's (mg/kg)
Indust./Comm. Criteria CTDEP Jan. 1996				10
GB Mobility Criteria CTDEP Jan. 1996				
GP-20A	04/22/1999	7.00		8.2
GP-20A	04/22/1999	9.00		1.1
GP-20A	04/22/1999	11.00		1U
GP-22	12/15/1999	0.50		1U
GP-22	12/15/1999	1.50		1U
GP-22	12/15/1999	2.50		1U
GP-22	12/15/1999	3.50		1U
GP-22	12/15/1999	4.50		1U
GP-22	12/15/1999	5.50		1.5
GP-22	12/15/1999	6.50		1U
GP-22	12/15/1999	7.50		1U
GP-23	12/15/1999	0.50		1U
GP-23	12/15/1999	1.50		1U
GP-23	12/15/1999	2.50		1U
GP-23	12/15/1999	3.50		1U
GP-23	12/15/1999	4.50		1U
GP-23	12/15/1999	5.50		9.3
GP-23	12/15/1999	6.50		3.2
GP-23	12/15/1999	7.50		8.4
GP-23	12/15/1999	8.50		6.7
GP-23	12/15/1999	9.50		3.9
GP-24	12/15/1999	0.50		1U
GP-24	12/15/1999	1.50		1U
GP-24	12/15/1999	2.50		2.0
GP-24	12/15/1999	3.50		2.3
GP-24	12/15/1999	4.50		1.8
GP-24	12/15/1999	5.50		1.0
GP-24	12/15/1999	6.50		1U
GP-24	12/15/1999	7.50		7.9
GP-24	12/15/1999	8.50		1U
GP-24	12/15/1999	9.50		7.5
GP-24	12/15/1999	10.50		1U
GP-24	12/15/1999	11.50		1U
GP-24	12/15/1999	12.50		1U
GP-24	12/15/1999	13.50		1U
GP-24	12/15/1999	14.50		1U

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
PCB Remediation Area

Date: 05/03/2000

PERIOD: From 12/12/1997 thru 12/15/1999 - Inclusive

SAMPLE TYPE: Soil

SITE	DATE	DEPTH	SAMPLE ID	PCB's (mg/kg)
Indust./Comm. Criteria CTDEP Jan. 1996				10
GB Mobility Criteria CTDEP Jan. 1996				
GP-24	12/15/1999	16.00		1U
GP-30	04/22/1999	1.00		1U
GP-30	04/22/1999	3.00		1U
GP-30	04/22/1999	5.00		3.8
GP-30	04/22/1999	7.00		5.4
GP-30	04/22/1999	9.00		1U
GP-30	04/22/1999	11.00		1U
GP-31	04/22/1999	1.00		1U
GP-31	04/22/1999	3.00		1U
GP-31	04/22/1999	5.00		1U
GP-31	04/22/1999	7.00		7.1
GP-31	04/22/1999	9.00		1U
GP-31	04/22/1999	11.00		1U
GP-32	04/22/1999	1.00		1U
GP-32	04/22/1999	3.00		1U
GP-32	04/22/1999	5.00		1.2
GP-32	04/22/1999	7.00		8.7
GP-32	04/22/1999	9.00		2.6
GP-32	04/22/1999	11.00		1U
GP-33	04/22/1999	1.00		1U
GP-33	04/22/1999	3.00		1U
GP-33	04/22/1999	5.00		1U
GP-33	04/22/1999	7.00		1U
GP-33	04/22/1999	9.00		1U
GP-33	04/22/1999	10.50		1U
GP-35	04/22/1999	1.00		1U
GP-35	04/22/1999	3.00		1U
GP-36	04/22/1999	1.00		1U
GP-36	04/22/1999	3.00		1.5
GP-38	04/23/1999	1.00		1U
GP-38	04/23/1999	3.00		1U
GP-38	04/23/1999	5.00		2.5
GP-38	04/23/1999	7.00		6.3
GP-39	04/23/1999	1.00		1U
GP-39	04/23/1999	3.00		1U
GP-39	04/23/1999	5.00		1U

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
PCB Remediation Area

Date: 05/03/2000

PERIOD: From 12/12/1997 thru 12/15/1999 - Inclusive

SAMPLE TYPE: Soil

SITE	DATE	DEPTH	SAMPLE ID	PCB's (mg/kg)
Indust./Comm. Criteria CTDEP Jan. 1996				10
GB Mobility Criteria CTDEP Jan. 1996				
GP-39	04/23/1999	7.00		2.6
GP-40	04/23/1999	1.00		1U
GP-40	04/23/1999	3.00		1U
GP-40	04/23/1999	5.00		1U
GP-40	04/23/1999	7.00		1U
GP-41	04/23/1999	1.00		1U
GP-41	04/23/1999	3.00		1U
GP-41	04/23/1999	5.00		1U
GP-41	04/23/1999	7.00		1U
GP-41	04/23/1999	9.00		1U
GP-41	04/23/1999	11.00		1U
GP-621	12/15/1999	0.50		1U
GP-621	12/15/1999	1.50		1U
GP-621	12/15/1999	2.50		1U
GP-621	12/15/1999	3.50		1U
GP-621	12/15/1999	4.50		1U
GP-621	12/15/1999	5.50		1U
GP-621	12/15/1999	6.50		1U
GP-621	12/15/1999	7.50		1U
GP-621	12/15/1999	8.50		1U
GP-621	12/15/1999	9.50		1U
GP-621	12/15/1999	10.50		1U
GP-621	12/15/1999	11.50		1U
MW-050	10/12/1999	1.00	MW50	1U
MW-050	10/12/1999	3.00		1U
MW-050	10/12/1999	5.00		1.4
MW-050	10/12/1999	9.00		1U
MW-050	10/12/1999	11.00		1U
MW-051	10/12/1999	1.00		1U
MW-051	10/12/1999	3.00		1U
MW-051	10/12/1999	5.00		1U
MW-051	10/12/1999	7.00		1.7
MW-051	10/12/1999	9.00		1U
MW-051	10/12/1999	11.00		1U
MW-052	10/12/1999	5.00		1U
MW-053	10/12/1999	1.00		1U

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
PCB Remediation Area

Date: 05/03/2000

PERIOD: From 12/12/1997 thru 12/15/1999 - Inclusive

SAMPLE TYPE: Soil

SITE	DATE	DEPTH	SAMPLE ID	PCB's (mg/kg)
Indust./Comm. Criteria CTDEP Jan. 1996				10
GB Mobility Criteria CTDEP Jan. 1996				
MW-053	10/12/1999	3.00		1U
MW-053	10/12/1999	5.00		1U
MW-053	10/12/1999	7.00		2.6
MW-053	10/12/1999	9.00		1U
MW-053	10/12/1999	11.00		1U
MWP-01	12/15/1999	1.00		4.3
MWP-01	12/15/1999	3.00		1U
MWP-01	12/15/1999	5.00		5.6
MWP-01	12/15/1999	7.00		2.9
MWP-01	12/15/1999	9.00		1U
MWP-01	12/15/1999	11.00		1.1
MWP-01	12/15/1999	13.00		1U
MWP-01	12/15/1999	15.00		1U
MWP-01	12/15/1999	20.00		1U
MWP-01	12/15/1999	25.00		1U
MWP-01	12/15/1999	30.00		1U
MWP-01	12/15/1999	35.00		1U
MWP-01	12/15/1999	40.00		1U
MWP-01	12/15/1999	45.00		1U
MWP-01	12/15/1999	50.00		1U
MWP-01	12/15/1999	55.00		1U
MWP-01	12/15/1999	65.00		1U
MWP-02	12/15/1999	1.00		2.8
MWP-02	12/15/1999	3.00		1.9
MWP-02	12/15/1999	5.00		[33.2]
MWP-02	12/15/1999	7.00		[10.6]
MWP-02	12/15/1999	9.00		1U
MWP-02	12/15/1999	11.00		1U
MWP-02	12/15/1999	13.00		1U
MWP-02	12/15/1999	15.00		1U
MWP-02	12/15/1999	20.00		1U
MWP-02	12/15/1999	25.00		1U
MWP-02	12/15/1999	30.00		1U
MWP-02	12/15/1999	35.00		1U
MWP-02	12/15/1999	40.00		1U
MWP-02	12/15/1999	45.00		1U

Only those parameters detected are shown.
RSR exceedences are bracketed.

[] = Greater than Action Level NA = Not analyzed

English Station
Summary of Soil Analytical Data
PCB Remediation Area

Date: 05/03/2000

PERIOD: From 12/12/1997 thru 12/15/1999 - Inclusive

SAMPLE TYPE: Soil

SITE	DATE	DEPTH	SAMPLE ID	PCB's (mg/kg)
Indust/Comm. Criteria CTDEP Jan. 1996				10
GB Mobility Criteria CTDEP Jan. 1996				
MWP-02	12/15/1999	50.00		1U
MWP-02	12/15/1999	55.00		1U
MWP-02	12/15/1999	60.00		1U
MWP-02	12/15/1999	65.00		1U
MWP-02	12/15/1999	70.00		1U
MWP-03	12/15/1999	1.00		1U
MWP-03	12/15/1999	3.00		1U
MWP-03	12/15/1999	5.00		4.6
MWP-03	12/15/1999	7.00		[11.9]
MWP-03	12/15/1999	9.00		1U
MWP-03	12/15/1999	11.00		1U
MWP-03	12/15/1999	13.00		1U
MWP-03	12/15/1999	15.00		1U
MWP-03	12/15/1999	20.00		1U
MWP-03	12/15/1999	25.00		1U
MWP-03	12/15/1999	30.00		1U
MWP-03	12/15/1999	35.00		1U
MWP-03	12/15/1999	40.00		1U
MWP-03	12/15/1999	45.00		1U
MWP-03	12/15/1999	50.00		1U
MWP-03	12/15/1999	55.00		1U
MWP-03	12/15/1999	60.00		1U
MWP-03	12/15/1999	65.00		1U
MWP-03	12/15/1999	70.00		1U
MWP-04	12/15/1999	1.00		4.5
MWP-04	12/15/1999	3.00		1U
MWP-04	12/15/1999	5.00		4.5
MWP-04	12/15/1999	7.00		3.4
MWP-04	12/15/1999	9.00		1U
MWP-04	12/15/1999	11.00		1U
MWP-04	12/15/1999	13.00		1U
MWP-04	12/15/1999	15.00		1U
MWP-04	12/15/1999	20.00		1U
MWP-04	12/15/1999	25.00		1U
MWP-04	12/15/1999	30.00		1U
MWP-04	12/15/1999	35.00		1U

Only those parameters detected are shown.
RSR exceedences are bracketed.

[] = Greater than Action Level NA = Not analyzed

English Station
Summary of Soil Analytical Data
PCB Remediation Area

Page: 9 of 9
Date: 05/03/2000

PERIOD: From 12/12/1997 thru 12/15/1999 - Inclusive

SAMPLE TYPE: Soil

SITE	DATE	DEPTH	SAMPLE ID	PCB's (mg/kg)
Indust./Comm. Criteria CTDEP Jan. 1996				10
GB Mobility Criteria CTDEP Jan. 1996				
MWP-04	12/15/1999	40.00		1U
MWP-04	12/15/1999	45.00		1U
MWP-04	12/15/1999	50.00		1U
MWP-04	12/15/1999	55.00		1U
MWP-04	12/15/1999	60.00		1U
MWP-04	12/15/1999	65.00		1U
MWP-04	12/15/1999	70.00		1U

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed

English Station
Summary of Soil Analytical Data
Station B
(AOC 1)

PERIOD: From 03/30/2000 thru 03/30/2000 - Inclusive

SAMPLE TYPE: Soil

CONSTITUENT	SITE	Indust./Comm. Criteria	GB Mobility Criteria	TB-217	TB-217	TB-217	TB-217
	SAMPLE ID			TB-217(0-2)	TB-217(2-4)	TB-217(4-6)	TB-217(6-8)
	DATE			03/30/2000	03/30/2000	03/30/2000	03/30/2000
	DEPTH (ft)			1.00	3.00	5.00	7.00
ETPH	(mg/kg)	2500	2500	<25	<200	224	360
Arsenic	(mg/kg)	10		6.9	7.9	NA	NA

Only those parameters detected are shown.
RSR exceedences are bracketed.

NA=Not analyzed